





TABLE OF CONTENTS

About Ice-O-Matic General Information	
Model Number Guide Ice Form Series Guide	2
UCG Gourmet Ice™ Undercounters	11
ICE Series Cube Ice™ Undercounters ICE Series Cube Ice Makers ICE Series Cube Ice Makers - Accessories	13
Elevation Series Cube Ice™ Elevation Features Elevation Series Cube Ice Makers - 22" Modular Elevation Series Cube Ice Makers - 30" Modular Elevation Series Cube Ice Makers - 48" Modular Elevation Series Modular - Accessories	14
GEM Series Pearl Ice [™] GEM Series Pearl Ice® Makers - Modular GEM Series Pearl Ice® Makers / Ice & Water Dispensers GEM Series Pearl Ice® Makers - Accessories	20
MFI Series [™] Flake Ice [™] MFI Series Flake Ice Makers - Modular MFI Series Flake Ice Makers - Accessories	23
Remote Condensers & Accessories Countertop & Hotel Ice Dispensers Ice Dispenser Accessories & Kits Storage Bins & Accessories	
Ice Machine & Bin Configurations ICE Series Cube Ice Makers - Accessories	24
Pricing Contact Us	32

About us.

Located in Denver, Colorado, Ice-O-Matic is a leading global manufacturer of a wide range of commercial icemaking products including cube ice makers, Pearl Ice[®] ice makers, flake ice makers, storage bins, dispensers and water filters.



ICE WITH A CLEAR CONSCIENCE

Sustainability

Ice-O-Matic offsets the carbon footprint of its Denver factory by using recycled packaging materials. We also recycle our industrial and office waste products.

Made in the U.S.A.

A U.S.-based company with over 200 employees worldwide, Ice-O-Matic provides and creates American jobs. Ice-O-Matic is committed to producing quality products, and to the hundreds of employees who make it happen. Ice-O-Matic products are designed and assembled in America.

ENERGY STAR®

Ice-O-Matic partners with ENERGY STAR and is dedicated to improving energy efficiency. Each ENERGY STAR certified ice maker can save businesses energy and money on their utility bills. When considering batch-type ice makers, ENERGY STAR certified systems can save, on average, about 1,200 kwh annually, or \$125/year in electricity bill costs.


TERMS & CONDITIONS

- Specifications and prices are subject to change without notice.
- All height dimensions of bins and ice makers with built-in storage include the height of the legs where applicable.
- For a full listing of Terms and Conditions, visit: www.iceomatic.com

OUR HISTORY

Perfecting Ice Since 1952®

Since 1952, Ice-O-Matic has worked tirelessly on developing, enhancing and perfecting the way ice is made. Founder Dave Smith's mission was to offer the best ice machines in the business with a single-minded focus on top-quality ice. To this day, Ice-O-Matic is dedicated to providing simple, reliable and easy-to-use commercial ice machines.



INSTALLATION CONSIDERATIONS

Allow enough space for the following elements


- The ice maker, bin and water filter
- Airflow

Utilities

- What are the voltage and amperage characteristics of the electrical outlet that will be used for this ice maker?
- Is there a floor drain within 6 feet (1.8 meters)?
- Is there a water source with water shutoff?
- Are the utilities within 6 feet (1.8 meters) of the ice-maker location?

Remote installation

- Is there an outdoor condenser location available?
- Is there easy roof access and penetration?
- Maximum precharged tubing line run considerations?





SIZING YOUR ICE MAKER

- Does the existing ice maker meet peak usage during the hottest time of the year?
- Where are the various ice stations in the establishment that will need ice?
- Will multiple ice stations be serviced from one or multiple ice makers?
- For future growth, consider building in at least 20 percent additional ice capacity on new installations.
- For dispenser applications, increase machine production by 50%

APPROXIMATE ICE USAGE PER DAY

FOOD SERVICE

Restaurant	1.5 lbs. per person or 6 lbs. per seat
Cocktail	3 lbs. per person
Quick Service	5 oz. per 7-10 oz. drink 8 oz. per 12-16-oz. drink 12oz. per 18-24-oz. drink

LODGING

Guest Ice	5 lbs. per room
Restaurant	1.5 lbs. per person
Cocktail	3 lbs. per person
Catering	1 lb. per person

NOTE: The charts above outlines the approximate required ice amount per day, depending on application usage.

ICE MAKER WARRANTY

Every Ice-O-Matic ice maker is backed by a warranty that provides both parts and labor coverage. To register products, view the warranty details or check your warranty status, visit the "Warranty Registration" page at: **iceomatic.com/warranty**.

Cube Ice Makers - CIM and Ice Series

- Three years parts and labor
- Five years parts on evaporators and compressors
- Seven years parts on evaporators with IOM filter program (U.S.A. and Canada only)

Flake Ice Makers - MFI Series

- Three years parts and labor
- Five years parts coverage on the compressor

Pearl Ice® Makers - GEM Series

- Modular three years parts and labor
- Countertop dispenser two years parts and labor
- Modular/dispenser five years parts coverage on the compressor
- GEMU090 undercounter one years parts and labor

Gourmet Ice Makers - UCG Series

• Three years parts and labor

Dispensers - CD and IOD Series

- IOD countertop dispensers two years parts warranty and one year labor warranty
- CD hotel dispensers three years parts and labor warranty

Storage Bins

• Two years parts and labor

Water Filter Manifold Systems

• One year parts and labor (excluding cartridges)

Accessories

• 90 days parts only

Residential Installation

• All commercial machines installed in residential applications have one year parts and labor warranty

WATER FILTRATION PROGRAM

- Buy a new Ice-O-Matic IFQ Series Water Filtration System with a new CIM Series[™] Cube Ice Maker, replace the filter cartridge every six months and Ice-O-Matic will extend the limited cuber evaporator warranty to seven years parts and labor.
- New ice maker and filter must be installed at the same time.
- Must register both the ice maker and water filter online at iceomatic.com/warranty within five days of installation.
- Water filter cartridge model number and serial number must be included with registration information.
- Water filter changes must be recorded at **iceomatic.com** every six months or less.
- Replacement cartridge must be an Ice-O-Matic replacement cartridge (See sizing chart for cartridge requirements).
- Available in the U.S.A. and Canada only.

EXTEND YOUR WARRANTY BY PARTICIPATING IN OUR WATER FILTRATION PROGRAM!



For more information on water filters, see page #30

The best for your business.

Some people may not realize it, but ice is a type of food. It's also a key ingredient in most foodservice applications around the world. That's why it's very important to select the right type of ice and ice machine for your business. When choosing a machine, there are several factors that need to be considered, including ice type, machine location, sizing/ice amount, and condenser style.



211

MODEL NUMBER GUIDE

CIM Model CIM = Cube Ice Modular Series 03 Basic Family Size (Ibs/24 hr): 03 = 300 lbs, 04 = 400 lbs, 10 = 1000 lbs plus 3 Width of machine in inches: 3 for 30", 2 for 22", 4 for 48" 0 Unit Electrical Characteristics: 0, 5, 6, 7 *** F Cube Type: H = Half, F = Full, G = Grande A Condenser Type: A = Air, W = Water, R = Remote	Elevation Series™ - Cube Ice					
CIMO330FA 3 Width of machine in inches: 3 for 30", 2 for 22", 4 for 48" 0 Unit Electrical Characteristics: 0, 5, 6, 7 *** F Cube Type: H = Half, F = Full, G = Grande		CIM	Model CIM = Cube Ice Modular Series			
CIMO330FA 0 Unit Electrical Characteristics: 0, 5, 6, 7 *** F Cube Type: H = Half, F = Full, G = Grande		03	Basic Family Size (lbs/24 hr): 03 = 300 lbs, 04 = 400 lbs, 10 = 1000 lbs plus			
0Unit Electrical Characteristics: 0, 5, 6, 7 ***FCube Type: H = Half, F = Full, G = Grande		3	Width of machine in inches: 3 for 30", 2 for 22", 4 for 48"			
	CIMOSSOFA	0	Unit Electrical Characteristics: 0, 5, 6, 7 ***			
A Condenser Type: A = Air. W = Water. R = Remote		F	Cube Type: H = Half, F = Full, G = Grande			
		А	Condenser Type: A = Air, W = Water, R = Remote			

UCG Series - Gourmet Ice Makers

	UCG	Undercounter Gourmet Series
	060	Basic Family Size (lbs/24 hr): 06 = 60 lbs, 08 = 80 lbs, 10 = 100 lbs, 13 = 130 lbs
UCG060A	0	Unit Electrical Characteristics: 0, 5, 6, 7 ***
	G	Cube Type: G = Gourmet, GG = Gourmet Grande
	А	Condenser Type: A = Air Cooled

Pearl Ice [®] & Flake Ice Makers					
	GEM	Model GEM = Modular Pearl Ice®, Model MFI = Modular Flake Ice Series			
GEM0956A	095	Basic Family Size (lbs/24 hr): Approximately 950 lbs			
GEM0956A	6	Unit Electrical Characteristics: 0, 5, 6, 7 ***			
	А	Air Cooled, W = Water Cooled, R = Remote Condenser			

Remote Conden	sers	
	RC	Remote Condensers
	20	Coil Size
RC206C40	6	Unit Electrical Characteristics: 0, 6 ***
	С	C = Cuber Remote Condenser, G = GEM or MFI Remote Condenser
	40	Refrigerant = 404A

Storage Bins		
B55	В	Model B = Bin
D00	55	Approx. Size: 55 = 550-lb capacity

Water Filter Sys	tems	
	IFI	Filter Type: IFI = Ice-O-Matic Filter, inline type
IFI4C 4		Fitting Size: 4 = 1/4", 8 = 3/8"
	IFQ	Filter Type: IFQ = Ice-O-Matic Filtration System, IFQ Series
IFQ1	1	Number of Cartridges: 1 = Single, 2 = Double

*** Unit Electrical Characteristics

0 - 115/60/1 5 - 220-240/50/1 6 - 208-230/60/1 7 - 208-230/60/3

We make it easy.

Buying an ice machine doesn't have to be a challenge. Determining production requirements and all types of ice you need is a good first step and will help make the process a little easier.



ICE FORMS & SERIES GUIDE

Gourmet Series™ - Undercounters



Gourmet (G) (H) **11/4** in (Dia.) **1** in



Gourmet Grande (GG)

(H) 11/2 in(Dia.) 11/2 in

Pearl Ice[®] Makers



Pearl (P) (H) **1/2** in

(Dia) **3/8** in



Flake Ice Makers

ELEVATION Series™ Cube Ice Makers - Modular

HALF

HALF CUBE Half (H)

(H) **7/8** in(W) **3/8** in

(D) **7/8** in

.,...



Full (F) (H) **7/8** in (W) **7/8** in (D) **7/8** in

Flake (F)



Grande (GR)

(H) **11/8** in
(W) **11/4** in
(D) **7/8** in

Ice Series[™] Cube Ice Makers & Undercounters

Half (H) (H) **7/8** in (W) **3/8** in

(D) **7/8** in



Full (F) (H) **7/8** in (W) **7/8** in (D) **7/8** in



The choice is clear.

Our self-contained gourmet cube ice makers are designed with many practical features that make them reliable and carefree to operate. With durable stainless steel top panels and convenient slide-away doors, the self-contained models are perfect for bars, wait stations and undercounter applications.



UCG Series[™] - Undercounters



32¼"	Model Number	Machine Height Standard/Short Leg (in)	Ice Production Ibs/24 hr @ 90°F Air/70°F Water	Ice Production Ibs / 24 hr @ 70°F Air/ 50°F Water	Bin Storage (Ibs)	Condensing Unit	Voltage Units	Ship Weight (lbs)
	UCG080A	32.25-34 / 29.375-29.75	77.8	95	33	Air	115/60/1	81.5
221/4" 181/4"								

	Model Number	Machine Height Standard/Short Leg (in)	Ice Production Ibs/24 hr @ 90°F Air/70°F Water	lce Production lbs/24 hr @ 70°F Air/50°F Water	Bin Storage (lbs)	Condensing Unit	Voltage Units	Ship Weight (lbs)
32¼"	UCG100A		91.7	114				
	UCG130A	36-37.75 / 33.125-33.5	114.3	121	48.5	Air	115/60/1	97
221/4" 181/4"	UCG130GA*		100.5	121				

* Gourmet Grande

UCG Series[™] - Accessories


Model Number	Description	Ship Weight (lbs)
1011411-87	True undercounter leg for UCG100, UCG130 and UCG130GA	4

The industry standard.

It's that familiar clinking sound in your favorite beverage. It's the fresh, crystal-clear ice that tumbles into glasses at restaurants, bars and convenience stores around the world, cooling the drink while preserving the flavor. Our widely popular cube ice never goes out of style and is perfect for any application or occasion. Long-lasting cube ice is the right choice for a wide variety of uses.



ICE Series[™] - Undercounters



30"		39"	Model Number	Ice Production Ibs/24 hr @ 90°F Air/70°F Water	Ice Production Ibs/24 hr @ 70°F Air/50°F Water	Half Cube	Bin Storage (Ibs)	Condensing Unit	Voltage Units	Ship Weight (lbs)
+	A CONTRACTOR OF		ICEU300A	1125	309	H/F	112	Air	115/60/1	206
T	1 30¾"									

ICE Series[™] - Ice Makers Bin Thermostat Kit Included



26%" 30½"	Model Number	lce Production lbs/24 hr @ 90°F Air/70°F Water	lce Production lbs/24 hr @ 70°F Air/50°F Water	Half Cube	Condensing Unit	Voltage Units	Ship Weight (lbs)
22"	ICE1506R**	1100	1430	Н	Remote	208-230/60/1	310

* Exclusive top-air discharge feature available at no extra charge.

** Remote condensers and line sets are required for remote-cooled ice makers. See Page 25 for Remote Condensers.

ICE Series[™] - Accessories

Model Number	Description	Ship Weight (lbs)
BPF-1	Filler Panel Kit for 30" ICE Series™ Cube Ice Makers for B110 bins only	8
KBT5	Bin Top for 30" ICE1506 family for B100 only	30
KCUBEDISP	Bin-level kit required for dispensing application	1
KBTF21506*	Bin Top for (2) ICE1506's on 60" bins only	43

* Additional adapters may be required from dispenser manufacturer







Sealed food zone

Unparalleled food safety. The only ice maker in the industry with a sealed food zone.

Dual exhaust

Groundbreaking technology allows hot-air discharge from the side and/or the top of every unit for the ultimate in flexibilty.

Snap in and out plastic parts

Sanitation has never been easier. Parts snap in and out and are dishwasher safe, no bottle brushes or tools required.

Standard air filter

Cleaning made easy, removable and washable filter comes standard on Elevation Series machines.



One-touch cleaning

One touch to de-scale, one touch to sanitize. LEDs signal when cleaning is required.

The Elevation Series.

Our Elevation Series is designed to simplify life. Our cube ice machines are easy to clean, easy to service, simple to operate, and environmentally responsible without sacrificing productivity. The Elevation Series provides clean, dependable ice from an astonishingly user-friendly and energy-efficient machine designed to work as hard as you. We believe design simplicity equals operational excellence, and innovation goes beyond just adding bells and whistles.



ELEVATION SERIESTM Modular Ice Makers

24¼" 22¼"	Model Number	Ice Production Ibs/24 hr @90°F Air/70°F Water	Ice Production Ibs/24 hr @ 70°F Air/50°F Water	Half or Full Cube	Condensing Unit	Voltage Units	Ship Weight (lbs)
	CIM0320A	244	313		Air	115/60/1	150
211/2	CIM0320W	274	316		Water	115/60/1	150
2174	CIM0326A	236	330	H/F	Air	208- 230/60/1	150
	CIM0520A	432	561	11/1	Air	115/60/1	165
	CIM0520W	533	586		Water	2115/60/1	175
	CIM0526A	419	555		Air	208- 230/60/1	165

24¼" 22¼"	Model Number	Ice Production Ib/24 hr @ 90°F Air/70°F Water	Ice Production Ibs/24 hr @ 70°F Air/50°F Water	Half or Full Cube	Condensing Unit	Voltage Units	Ship Weight (lbs)
EZ 74	CIM0826A	711	896		Air		230
	CIM0826W	774	896		Water		230
27	" CIM0826R*	793	906	H/F	Remote	208-	220
	CIM1126A	762	932	п/ г	Air	230/60/1	230
	🧧 CIM1126W	851	968		Water		240
	CIM1126R*	830	968		Remote		215

24%"		Model Number	lce Produc lbs/24 hr @ Air/70°F W	90°F	Ice Production Ibs/24 hr @ 70°F Air/50°F Water	Half or Full Cube	Condensing Unit	Voltage Units	Ship Weight (lbs)
301/4"	CII	M0330A	224		313		Air	115/60/1	145
Recotance	CIMO	M0330W	265		316		Water	115/60/1	145
2		M0430A	310		435		Air	115/60/1	155
	CIN	40430W	365		460		Water	115/60/1	155
	CII	M0436A	340		465		Air	208- 230/60/1	155
	CIN	M0436W	405		500		Water	208- 230/60/1	155
	🔤 CII	M0530A	420		561	H/F	Air	115/60/1	155
.ke-O.Matic	CIN	40530W	470		586		Water	115/60/1	155
	CIN	40530R*	405		525		Remote	115/60/1	160
A COLUMN A	🔁 CII	M0636A	440		600		Air	208- 230/60/1	160
	CI	M0636W	535		620		Water	208- 230/60/1	160
		40636R*	520		615		Remote	208- 230/60/1	160

叠 Qualifies for Energy Star

*See Page 25 for Remote Condensers.

ELEVATION SERIESTM | Modular Ice Makers



24¼"

48¼"

ke O Matic

he-O-Metic

Model Number	Ice Production Ibs/24 hr @ 90°F Air/70°F Water	Ice Production Ibs/24 hr@70°F Air/50°F Water	Half /Full/ Grande Cube	Condensing Unit	Voltage Units	Ship Weight (Ibs)
CIM0836A	668	896	H/F	Air	208- 230/60/1	220
CIM0836W	798	896	H/F	Water	208- 230/60/1	210
CIM0836R*	769	906	H/F	Remote	208- 230/60/1	220
CIM0836GA**	645	800	GR	Air	208- 230/60/1	230
CIM1136A	739	932	H/F	Air	208- 230/60/1	220
CIM1136W	896	968	H/F	Water	208- 230/60/1	225
CIM1136R*	855	968	H/F	Remote	208- 230/60/1	235
CIM1137A	735	917	H/F	Air	208- 230/60/3	220
CIM1137W	870	944	H/F	Water	208- 230/60/3	225
CIM1137R*	830	973	H/F	Remote	208- 230/60/3	235

* See Page 25 for Remote Condensers.

** Grande Cube

	Model Number	Ice Production Ibs/24 hr @ 90°F Air/70°F Water	Ice Production Ibs/24 hr@70°F Air/50°F Water	Half /Full Cube	Condensing Unit	Voltage Units	Ship Weight (Ibs)
	CIM1446A	1174	1600		Air	208- 230/60/1	310
26"	CIM1446W	1397	1560		Water	208- 230/60/1	300
	CIM1446R*	1300	1650		Remote	208- 230/60/1	280
	CIM1447A	1174	1550		Air	208- 230/60/3	310
	CIM1447W	1397	1565		Water	208- 230/60/3	300
	CIM1447R*	1290	1625	H/F	Remote	208- 230/60/3	280
Т	CIM2046W	1690	1860		Water	208- 230/60/1	335
	CIM2046R*	1533	1830		Remote	208- 230/60/1	335
	CIM2047W	1639	1860		Water	208- 230/60/3	325
	CIM2047R*	1533	1830		Remote	208- 230/60/3	335

*See Page 25 for Remote Condensers.

ELEVATION SERIESTM | Modular Ice Makers

Model Number	Description	Ship Weight (lbs)
BPF-1	Filler Panel Kit with 30" CIM and ICE Series™ Cube Ice Makers for B110 bins only	8
KBT5	Bin Top for 30" CIM and ICE Series Cube Ice Makers including the ICE1506 family for B100 bin	30
KBT23	Bin Top for (1) 22" CIM Series Ice Makers on a B110 bin	22
KBT222	Bin Top for (2) 22" CIM Series Ice Makers on a B110 bin	33
KCFS9-22*	Mounting kit for Coca-Cola Freestyle 9000 with 22" CIM Series Ice Cube Makers	5
KCFS91-22*	Mounting kit for Coca-Cola™ Freestyle 9100 with 22" CIM Series Ice Cube Makers	5
KCFS71-30*	Mounting kit for Coca-Cola™ Freestyle 7000/7100 with 30" CIM Series Ice Cube Makers	5
KCFS9-30*	Mounting kit for Coca-Cola™ Freestyle 9000 with 30" CIM Series Ice Cube Makers	10
KCFS91-30*	Mounting kit for Coca-Cola™ Freestyle 9100 with 30" CIM Series Ice Cube Makers	5
KCUBEDISP	Bin-level kit for Cornelius and Lancer dispensers with all CIM Series including the ICE1506 Ice Cube Makers	1

* Adapter from Coca-Cola™ also required.

** Additional adapter may be required from dispenser manufacturer



Food Zone Disassembly and Cleaning

Incorporate FoodZone disassembly into your daily cleaning procedure for maximum machine uptime and food cleanliness



Loosen the two screws on the bottom of the front panel.



Remove the top plastic cover.





Remove the water hose.



Remove the evaporator splash plate.



Remove the distribution tube, depressing both side tabs.



Completely disassemble the distribution tube.



Swing up and depress the curtain's tabs to remove.



Remove the water reservoir by sliding out, down, and out.



All food zone parts are high temp dishwasher safe.

Simplicity Elevated


As the most advanced ice maker on the market, the new Elevation Series machines are easy to clean, easy to operate, easy to service and environmentally responsible without sacrificing productivity. Only from Ice-O-Matic, the leader in ice, pure and simple.



twins on a bin

Run both machine heads during busy season and one during slow seasons. The possibilities are endless!

Pearl Ice[®] Series[™] Modular Ice Makers



Т	Model Number	Ice Production Ibs/24 hr @ 90°F Air 70°F/Water	Ice Production Ibs/24 hr @ 70°F Air/50°F Water	Condensing Unit	Voltage Units	Ship Weight (Ibs)
	GEM0450A	353	464	Air	115/60/1	150
	GEM0450W	429	508	Water	115/60/1	150
27"	GEM0650A	500	740	Air	115/60/1	150
21	GEM0650W	633	770	Water	115/60/1	165
	GEM0650R*	550	770	Remote	115/60/1	175
	GEM0956A	753	1053	Air	208-230/60/1	165
	GEM0956W	877	1053	Water	208-230/60/1	220
	GEM0956R*	820	1011	Remote	208-230/60/1	230
	GEM1306A	1000	1350	Air	208-230/60/1	220
	GEM1306R*	1000	1350	Remote	208-230/60/1	240

24" 30" Ice Production Ice Production Ship Weight Model Condensing Ice-O-Matic lbs/24 hr @ 90°F lbs/24 hr @ 70°F Voltage Units Number Unit (lbs) Air/70°F Water Air/50°F Water GEM2006R* 1635 1960 Remote 208-230/60/1 316 27" GEM2006W 1820 2225 Water Qualifies for Energy Star

* See Page 25 for Remote Condensers

Pearl Ice[®] Series[™] Accessories

Model Number	Description	Ship Weight (lbs)
BPF-1	Filler Panel Kit with 30" GEM Series Ice® Makers for B110 bins only	8
KBT5	Bin Top for 30" GEM Series Ice® Makers on a B100 bin	30
KBT19	Bin Top for 21" GEM Series Ice® Makers on a 30" bin	22
KBT222	Bin Top for (2) GEM Series Ice® Makers on a B110 bin	33
KBT23	Bin Top for (1) GEM Series Ice® Makers on a B110 bin	33
KBT24	Bin Top for (1) GEM Series Ice® Makers on a 22" bin	10
KBTF230	Bin Kit for (2) 30" GEM Series Ice® Makers on 60" bins only	1
KGEMDISP	Kit required when mounting GEM Series Ice [®] Makers to beverage dispenser	1
KGEMFS*	Mounting and bin level ice control kit, required for installation of 21" GEM Series Ice® Makers on Coca-Cola™ Freestyle dispenser model 9000.	5
KFS7-G*	Ice Control Kit, required for installation of 21" GEM Series Ice® Makers on a Coca-Cola™ Freestyle dispensers model 7000.	5

* Requires Coke adapter to match freestyle dispenser color.

PEARL ICE[®] SERIES | Modular Ice Makers/Dispensers • Accessories

Pearl Ice[®] Series[™] Ice-Water Dispenser



Pearl Ice® Series™ Ice-Undercounter Ice Maker



Pearl Ice® Series™ Ice Maker & Ice Water Dispenser Accessories

Model Number	Description	Ship Weight (lbs)
KPU090	Pump kit for GEMU090	7

A consumer favorite.

It's a soft, chewable ice that absorbs the flavor of a beverage for more enjoyable chewing. This ice dispenses well, blends quickly and displaces liquid better than cubes. It's a great choice for restaurants, convenience stores and is ideal for use in buffets, grocery stores, fish markets, chilled food displays and it packs well for healthcare applications.




Perfect for presentation.

Our flake ice is ideal for both the presentation and preservation of perishable food items. Ice-O-Matic flake ice extends the shelf life and appearance of seafood, fresh fruits and vegetables for fresher displays that help increase sales. Flake ice is also ideal for use for perishable food transport and health care applications.



Flake Ice Series Modular Ice Makers

24¼" 21"	Model Number	Ice Production Ibs/24 hr @ 90°F Air/70°F/Water	Ice Production Ibs/24 hr @ 70°F Air/50°F Water	Condensing Unit	Voltage Units	Ship Weight (lbs)
	MF10500A	370	540	Air	115/60/1	205
	MFI0500W	456	541	Water	115/60/1	205
	MF10800A	615	900	Air	115/60/1	200
27"	MFI0800W	740	940	Water	115/60/1	200
	MFI0800R*	650	925	Remote	115/60/1	200
	🧧 MFI1256A	885	1149	Air	208-230/60/1	215
	MFI1256W	959	1137	Water	208-230/60/1	210
	MFI1256R*	950	1040	Remote	208-230/60/1	230
	MFI1506A	1050	1450	Air	208-230/60/1	290
	AFI1506R*	1025	1390	Remote	208-230/60/1	290



Flake Ice Series Accessories

Model Number	Description	Ship Weight (lbs)
BPF-1	Filler Panel Kit with 30" MFI Series Ice Makers for B110 bins only	8
KBT5	Bin Top for 30" MFI Series Ice Makers on a B100 bin	30
KBT19	Bin Top for 21" MFI Series Ice Makers on a 30" bin	22
KBT222	Bin Top for (2) MFI Series Ice Makers on a B110 bin	33
KBT23	Bin Top for (1) MFI Series Ice Makers on a B110 bin	33
KBT24	Bin Top for (1) MFI Series Ice Makers on a 22" bin	10
KBTF230	Bin Kit for (2) 30" MFI Series Ice Makers on 60" bins only	1
KGEMDISP	Kit required when mounting MFI to beverage dispenser	1
KGEMFS*	Mounting and bin level ice control kit, required for installation of 21" MFI Series Ice Makers on Coca-Cola™ Freestyle dispenser model 9000.	5
KFS7-G*	Ice Control Kit, required for installation of 21" MFI Series Ice Makers on a Coca-Cola™ Freestyle dispensers model 7000.	5

* Requires Coke Adapter to match Freestyle dispenser color

Discover the difference.


The Ice-O-Matic difference means customers receive American made purity, simplicity, productivity and reliability. Every time.



Remote Condensers

28%"

	Model Number	Description	Previous Model	Voltage Units	Ship Weight (lbs)
	RC100G40*	Remote Condenser for models GEM0650R, and MFI0800R	RGA0501-HM*	115/60/1	90
34½"	RC106G40*	Remote Condenser for mod- els GEM0956R, GEM1306R, MFI1506R, and MFI1256R	RGA1061-HM*	208-230/60/1	90
28%" 30%"	RC100C40	Remote Condenser for CIM0530R	RCA1001	115/60/1	91
	RC106C40	Remote Condenser for model CIM0636R	RCA1061	208-230/60/1	97
40 - 35"	RC206C40	Remote Condenser for models CIM0825R, CIM0826R, CIM0835R, CIM0836R, CIM1125R, CIM1126R, CIM1135R, and CIM1136R	RCA2061	208-230/60/1	108
RC306C40 - RC306C400 - RC306C40 - RC306C400 - RC306C400 - RC306C40 - RC306C400 - RC306C40 - RC306C40 - RC306C4	RC306C40	Remote Condenser for models CIM144*R, CIM1545R, CIM1845R, GEM2006R and MFI2306R	RCA3061	208-230/60/1	122
8706	RC406C40	Remote Condenser for model CIM204*R	RCA3561	208-230/60/1	138



Model Number	Description	Previous Model	Voltage Units	Ship Weight (lbs)
RCA3061	Remote Condenser for model ICE1506R	N/A	208-230/60/1	107

* Does not include Headmaster

Remote Condenser Accessories

Model Number	Description	Ship Weight (lbs)
RL404-25	25 ft. Precharged Tubing Kit for units using R-404A refrigerant	13
(Previously RT-325-404)		
RL404-40	40 ft. Precharged Tubing Kit for units using R-404A refrigerant	18
(Previously RT-340-404)		
RL404-75	75 ft. Precharged Tubing Kit for units using R-404A refrigerant	36
(Previously RT-375-404)		
KRL-25	25 ft. Noncharged Tubing Kit, includes insulated tubing and couplings, brazing required	13
KRL-40	40 ft. Noncharged Tubing Kit, includes insulated tubing and couplings, brazing required	18
KRL-75	75 ft. Noncharged Tubing Kit, includes insulated tubing and couplings, brazing required	36

Countertop Cube/Pearl Ice Dispensers



Model Number	Dispenser Operation	Bin Storage (lbs)	Voltage Units	Ship Weight (Ibs)
IOD150*	Cup Activated	150	115/60/1	139



Model Number	Dispenser Operation	Bin Storage (lbs)	Voltage Units	Ship Weight (Ibs)
IOD200**	Cup Activated	200	115/60/1	193
IOD250**	Cup Activated	250	15/60/1	197

Hotel Cube Ice Dispensers

	Model Number	Dispenser Operation	Bin Storage (lbs)	Voltage Units	Ship Weight (lbs)
53¼"	CD40022*	Push Activated	120	115/60/1	230

22"

33½"

Model Number	Dispenser Operation	Bin Storage (Ibs)	Voltage Units	Ship Weight (lbs)
CD40030**	Push Activated	190	115/60/1	220
CD40130** Water Glass Filler Kit Included	Push & Cup Activated	180	115/60/1	230

* Accepts only 22" Machines

** Accepts only 30" Machines

Ice Dispenser & Hotel Accessories

Model Number	Description	Ship Weight (lbs)
KBT15022	Adapter and bin-level kit for 22" cubers and nugget ice makers on IOD150	12
KBT25022	Adapter and bin-level kit for 22" cubers and nugget ice makers on IOD200/250	28
KBT25030	Adapter and bin-level kit for 30" cubers on IOD200/250	13
KWGFID	Water glass filler kit for IOD150/200/250 and CD40022 (Field installed only)	2
KGEMDISP	Kit required when mounting GEM to beverage dispenser	1
KCUBEDISP	Bin-level kit for Cornelius and Lancer dispensers with 30" CIM Series Cube Ice Makers (Bin stat & deflector included)	1
KFS7-22*	Mounting kit for Coca-Cola™ Freestyle7000 & 7100 with 22" ICE Series Cube Ice Makers	9
KFS7-30*	Mounting kit for Coca-Cola™ Freestyle 7000 & 7100 with 30" ICE Series Cube Ice Makers	10
KCFS71-30*	Mounting kit for Coca-Cola™ Freestyle 7000 & 7100 with 30" CIM Series Cube Ice Makers	7
KCFS9-22*	Mounting kit for Coca-Cola™ Freestyle 9000 with 22" CIM Series Cube Ice Makers	5
KCFS91-22*	Mounting kit for Coca-Cola [™] Freestyle 9100 with 22" CIM Series Cube Ice Makers	5
KCFS91-30*	Mounting kit for Coca-Cola™ Freestyle 9100 with 30" CIM Series Cube Ice Makers	14
KCFS9-30*	Mounting kit for Coca-Cola™ Freestyle 9000 with 30" CIM Series Cube Ice Makers	10
KGEMFS*	Mounting and bin level ice control kit, required for installation of 22" Pearl Ice Makers on Coca-Cola™ Freestyle dispenser model 9000. Requires Coca-Cola™ Adapter to match Freestyle dispenser (red, silver, or black)	5

* Adapter from Coca-Cola™ also required.

Dispenser Kits

Model	Style	CIM Series Cu	Series Cube Ice Makers ICE Series Cube Ice Makers GI			GEM Serie	GEM Series Ice Makers	
Number		22" W	30" W	22" W	30" W	21" W	30" W	
IOD150	22" Countertop Dispenser	KBT15022	N/A	KBT15022	N/A	KBT15022	N/A	
IOD200/250	30" Countertop Dispenser	KBT25022	KBT25030	KBT25022	KBT25030	KBT25022	KBT25030	
GENERIC DISPENSER	Lancer/Serv-end Etc.	KCUBEDISP	KCUBEDISP	KCUBEDISP	KCUBEDISP	KGEMDISP	KGEMDISP	
CD40022	22" Hotel Dispenser	A	N/A	A	N/A	N/A	N/A	
CD40030	30" Hotel Dispenser	N/A	A	N/A	A	N/A	N/A	
FS7000	30" Countertop Coke Dispenser	KCUBEDISP	KFS71-30	KFS7-22	KFS7-30	KFS7-G	N/A	
FS7100	30" Countertop Coke Dispenser	KCUBEDISP	KFS71-30	KFS7-22	KFS7-30	KFS7-G	N/A	
FS9000	22" Freestanding Coke Dispenser	KCFS9-22	KCFS9-30	KIBD-01	KIBD-30	KGEMFS	N/A	
FS9100	22" Freestanding Coke Dispenser	KCFS91-22	KCFS91-30	KFS91-22	KIBD91-30	KGEMDISP	N/A	
PEPSI SPIRE	30" Countertop Pepsi Dispenser	KCUBEDISP	KCUBEDISP	KCUBEDISP	KCUBEDISP	KGEMDISP	KGEMDISP	

This information is subject to change. Please visit our website **www.iceomatic.com** for the most recently updated kit information. Kit not required

N/A - Ice Machine and Dispenser not applicable

STORAGE BINS | Bins • Adapters • Accessories

Storage Bins _____

	Model Number	Bin Storage (lbs)	Dimensions W x D x H (in)	Ship Weight (lbs)
	B40PS	344	30 x 31 x 28	103
	B42PS	351	22 x 31 x 50	99
	B55PS	510	30 x 31 x 50	125
-	B110PS	854	48 x 31 x 50	191

	Model Number	Bin Storage (lbs)	Dimensions W x D x H (in)	Ship Weight (lbs)
	B700-30	680	30 x 31 x 60	212
	B1000-48	1000	48 x 31 x 56	268
	B1300-48	1320	48 x 31 x 65	270
	B1325-60	1325	60 x 31 x 56	320
v	B1600-60	1660	60 x 31 x 56	340

Bin Top Adapters _____

Model Number	Description	Ship Weight (lbs)
KBT5	Bin Top for 30" CIM and ICE Series Cuber including the ICE1506 family for B100 only	30
KBT19	Bin Kit for 22" CIM, MFI and GEM Series on a 30" bin	22
KBT222	Bin top for (2) 22" CIM, (2) MFI or (2) GEM Series on B110 bin	33
KBT23	Bin Kit for (1) 22" CIM, (1) GEM or (1) MFI Series on a B110 bin	33
KBT24	Bin Kit for (1) GEM or (1) MFI on a 22" bin	10
KBTF230	Bin Kit for (2) 30" CIM, GEM and MFI Series Cube Ice Makers on 60" bins only	43
KBTF21506	Bin for for (2) 30" ICE1506 on 60" bin only	43
BPF-1	Filler Panel Kit with 30" CIM, GEM, MFI and ICE Series™ Cube Ice Makers for B110 bins only	8

Model Number	Description	Ship Weight (lbs)
KLSCO	82 oz ice scoop*	1
KSSCO	16 oz ice scoop*	1
KSHOV	Plastic shovel	3
KSHOB	Bracket shovel	2
KICEP	Plastic paddle	7
KPBRA	Bracket paddle	2

* Ice scoop sold separately for B700-30, B1000-48, B1300-48, B1325-60 and B1600-60 models.

Single Ice Machine Configurations

Model		CIM Ser	ies Cube Ice	Makers	ICE Ser	ies Cube Ice	Makers	Pearl Ice	[®] Ice Makers	Flake	Ice Makers
Number	Style	22" W	30" W	48" W	22" W	30" W	48" W	21" W	30" W	21" W	30" W
B40PS	Slope Front	KBT19	A	N/A	KBT19	A	N/A	KBT19	A	KBT19	A
B42PS	Slope Front	A	N/A	N/A		N/A	N/A	KBT24	N/A	KBT24	N/A
B55PS	Slope Front	KBT19	A	N/A	KBT19	A	N/A	KBT19	A	KBT19	A
B110PS	Slope Front	KBT23	BPF-1***	A	KBT23	BPF-1***	A	KBT23	BPF-1***	KBT23	BPF-1***
B700-30	Upright		A	A		A	A				A
B1000-48	Upright	A	A	A		A	A	A	A	A	
B1300-48	Upright	A	A	A		A	A		A	A	A
B1325-60	Upright		A			A	A		A	A	
B1600-60	Upright	A	A	A		A	A	A	A		A

** Rotocast finish / *** BPF-1 used with B110 bins only. If you have an older model B100 use the KBT5.

▲ Kit not required / N/A - Ice Machine and Bin Configurator not applicable

Side-By-Side Ice Machine Configurations

Model	Chula	CIM Series Cube Ice Makers		ICE Series C	CE Series Cube Ice Makers		E Series Cube Ice Makers Pear		Ice Makers	Flake Ic	e Makers
Number	Style	2 x 22" W	2 x 30" W	2 x 22" W	2 x 30" W	2 x 21" W	2 x 30" W	2 x 21" W	2 x 30" W		
B40PS	Slope Front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
B42PS	Slope Front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
B55PS	Slope Front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
B110PS	Slope Front	KBT222	N/A	N/A	KBT222	KBT222	N/A	KBT222	N/A		
B700-30	Upright	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
B1000-48	Upright	A	N/A	A	N/A		N/A	A	N/A		
B1300-48	Upright	A	N/A		N/A	A	N/A	A	N/A		
B1325-60	Upright	A	KBT230*	A	KBTF21506	A	KBT230*	A	KBT230*		
B1600-60	Upright	A	KBT230*		KBTF21506	A	KBT230*	A	KBT230*		

* Must use remote or water cooled model only / ** Rotocast finish

▲ Kit not required

N/A - Ice Machine and Bin Configurator not applicable

There are times when it is desirable to install (2) ice machines side-by-side on a bin. The reasons may range from gaining maximum output to creating redundancy. Ice-O-Matic offers on array of kits and bins with custom order tops for just such applications.

Water Filtration Systems





dimensions (in)	10.4 x 6 x 4
flow rate max (gpm)	.75
pressure max (psi)	125
max operating temp (°F)	100
micron rating	0.5
ship weight (lbs)	2
pack quantity	N/A





dimensions (in)	15 x 6 x 4
flow rate max (gpm)	1.5
pressure max (psi)	125
max operating temp (°F)	100
micron rating	0.5
ship weight (lbs)	4
pack quantity	10



dimensions (in)	21 x 6 x 4
flow rate max (gpm)	2.25
pressure max (psi)	125
max operating temp (°F)	100
micron rating	0.5
ship weight (lbs)	5
pack quantity	N/A



IFQ2 Dual Filter

dimensions (in)	16 x 10 x 7.125
flow rate max (gpm)	3
pressure max (psi)	125
max operating temp (°F)	100
micron rating	0.5
ship weight (lbs)	8
pack quantity	N/A







IFI4C / IFI8C Single Inline Cartridge .25" Compression

(IFI4C) or .375" Compression (IFI8C)

dimensions (in)	11.75 x 2.75
flow rate max (gpm)	1.0
pressure max (psi)	100
max operating temp (°F)	100
micron rating	10
ship weight (lbs)	2
pack quantity	12

IOM Replacement Cartridges

Model Number	Description	Pack Qty
IOMQ-S	Single quick twist replacement cartridge for IFQ1-S	N/A
IOMQ	Single quick twist replacement cartridge for IFQ1 or IFQ2	10
IOMQ-XL	Single quick twist replacement cartridge for IFQ1-XL	N/A
IOMWFRC	Single replacement filter with male quick connect fittings for manifold filter systems	10

Filter Cartridge Features

- Inhibit the formation of scale
- Remove dirt and sediment
- Reduce chlorine, taste and odor

Ice-O-Matic recommends the use of water filtration with all ice-making products.

Water Filtration Application Charts - CUBE

Model Number	ICEU070	ICEU150 ICEU220 ICEU300	CIM0320- CIM0430	CIM0520- CIM0630	CIM0826- CIM1136	CIM1446- CIM1545	CIM1845- CIM2046	ICE1506	UCG080- UCG130
IFQ1-S	Х	Х							Х
IFQ1			Х						
IFQ1-XL				Х					
IFQ2					Х	Х		Х	
IFQ2-XL							Х		
IFI4C / IFI8C	Х	Х							Х

Water Filtration Application Charts - PEARL & FLAKE

Model Number	GEMU090	GEM0450- GEM0650	GEM0956	GEM1306	GEM2006	MF10500	MF10800- MF11256	MFI1506	MFI2306
IFQ1-S	Х					Х			
IFQ1		Х							
IFQ1-XL			Х				Х		
IFQ2				Х				Х	
IFQ2-XL					Х				Х
IFI4C / IFI8C	Х					Х			



Use the QR Code above for our most current list prices. Ice-O-Matic's knowledgeable sales representatives can also answer any questions and walk you through the selection process.

Contact Us.

SALES AND CUSTOMER SERVICE

Whether you have a sales question, a support inquiry, or just need to hear a friendly voice our outstanding customer service is available for you.

Call Us: 1-800-423-3367

Online: iceomatic.com/servicesupport

Email Us: customerservice@iceomatic.com

TECHNICAL SUPPORT 24/7 SUPPORT

Our technical support center provides best-in-class service with decades of experience. Contact day or night with your most technical questions!

Call Us: 1-855-TECH-IOM

Online: iceomatic.com/servicesupport

Email Us: techsupport@iceomatic.com





11100 East 45th Avenue | Denver, CO 80239 866.PUREICE | iceomatic.com